

The Sandur Manganese & Iron Ores Limited

OLC

(An ISO 9001:2015; ISO 14001:2015 and 45001:2018 certified company)
CIN: L85110KA1954PLC000759; Website: www.sandurgroup.com

REGISTERED OFFICE

'SATYALAYA', No.266
Ward No.1, Palace Road
Sandur - 583 119, Ballari District
Karnataka, India
Tel: +91 8395 260301/ 283173-199
Fax: +91 8395 260473



CORPORATE OFFICE

'SANDUR HOUSE', No.9
Bellary Road, Sadashivanagar
Bengaluru - 560 080
Karnataka, India
Tel: +91 80 4152 0176 - 79 / 4547 3000
Fax: +91 80 4152 0182

No: SMIORE/MN/070426/2678/28

07 April 2026

The Environmental Officer,
Karnataka State Pollution Control Board,
Ward No.25, 4th Main Road,
Kuvempu Nagar,
Ballari - 583104

Dear Sir,

Sub: Submission of reports pertaining to monitoring environmental parameters for the month of March 2026 in respect of Mining Lease No. 2678.

Ref: 1. Environmental Clearance F.No. IA-J-11015/45/2021-IA-II(M) dated 25 April 2023.
2. Consent for Operation No. AW-345054 dated 18 September 2024.
3. Consent for Operation No. AW-348549 dated 29 April 2025.


With reference to the letter cited above, we are enclosing herewith environmental monitoring reports from NABET accredited and MoEF&CC empaneled laboratory M/s Mineral Engineering Services as per stipulated environmental parameters in Environmental Clearance and Consent for Operation-Expansion for the month of March 2026 in respect of Mining Lease No. 2678 of The Sandur Manganese & Iron Ores Limited.

Kindly request you to acknowledge receipt of the reports and oblige.

Thank you,
for The Sandur Manganese & Iron Ores Limited,

Parthipan P
Sr. General Manager & Agent

Encl: Monitoring Reports



MINES OFFICE: Deogiri - 583112, Sandur Taluk, Ballari District
Tel: +91 8395 271025 / 28 / 29 / 40; Fax: +91 8395 271066

PLANT OFFICE: Metal & Ferroalloy Plant, Vyasankere, Mariyammanahalli - 583 222, Hosapete Taluk, Ballari District
Tel: +91 8394 244450 / 244335



National Accreditation Board for
Testing and Calibration Laboratories

CERTIFICATE OF ACCREDITATION

**ENVIRONMENTAL LABORATORY (UNIT OF MINERAL
ENGINEERING SERVICES LLP)**

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2017

**"General Requirements for the Competence of Testing &
Calibration Laboratories"**

for its facilities at

#948,2ND CROSS, ST.THOMAS TOWN POST,KAMMANAHALLI MAIN ROAD, BENGALURU, BENGALURU
URBAN, KARNATAKA, INDIA

in the field of

TESTING

Certificate Number: TC-6172

Issue Date: 24/05/2025

Valid Until: 23/05/2027

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.
(To see the scope of accreditation of this laboratory, you may also visit NABL website www.nabl-india.org)

Name of Legal Entity: MINERAL ENGINEERING SERVICES LLP

Signed for and on behalf of NABL




Anuja Anand
Director


N. Venkateswaran
Chief Executive Officer



LIFE
Lifestyle For
Environment



केन्द्रीय प्रदूषण नियंत्रण बोर्ड
CENTRAL POLLUTION CONTROL BOARD
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय भारत सरकार
MINISTRY OF ENVIRONMENT FOREST & CLIMATE CHANGE GOVT OF INDIA

12th June 2025

F. No. LB/99/7/2021-INST LAB-HO-CPCB-HO/Pvt./ 554

Recognition Letter

To,
The Head of Laboratory,
M/s Environmental Laboratory (Unit of Mineral Engineering Services),
948 2nd Cross St Thomas Town Post,
Kammanahalli, Bengaluru-560084,
Karnataka.

Subject: Recognition of M/s Environmental Laboratory (Unit of Mineral Engineering Services), 948 2nd Cross St Thomas Town Post, Kammanahalli, Bengaluru-560084, Karnataka as Environmental laboratory under the Environmental (Protection) Act- 1986- reg.

Sir,

With reference to your application dated 19/03/2025 along with acceptance of the terms & conditions of the guidelines for recognition of environmental laboratories under the Environmental (Protection) Act, 1986, submitted to Central Pollution Control Board (CPCB), the Competent Authority of CPCB has accorded approval for renewal of recognition of Environmental laboratory and Govt. Analysts. Subsequently, M/s **Environmental Laboratory (Unit of Mineral Engineering Services), 948 2nd Cross St Thomas Town Post, Kammanahalli, Bengaluru-560084, Karnataka** shall be notified considering the current requirement of mandatory accreditation / certifications of the laboratory with a validity up to 23/05/2028 (for three years), subject to validity of ISO/IEC 17025 and IS/ISO 45001.

2. The following analysts have been approved as Government Analysts:

1. Sh. M. Sachin Raju
2. Smt. Arshiya Kousar
3. Smt. Binu Mani

3. The laboratory should compulsorily follow the accepted terms and conditions and may undertake the following tests:

- a) **Physical Tests:** Conductivity, Colour, pH, Fixed & Volatile Solids, Total Solids, Total Dissolved Solids, Total Suspended Solids, Turbidity, Temperature, Velocity & Discharge Measurement of Industrial Effluent Stream, Flocculation Test (Jar Test), Odour, Salinity, Settleable Solids and Sludge Volume Index (SVI).
- b) **Inorganic (General and Non-metallic):** Acidity, Alkalinity, Ammonical Nitrogen, Chloride, Chlorine Residual, Dissolved Oxygen, Fluoride, Total Hardness, Total Kjeldahl Nitrogen (TKN), Nitrite Nitrogen, Nitrate Nitrogen, Phosphate, Sulphate, Cyanide, Silica and Sulphide.
- c) **Inorganic (Trace Metals):** Boron, Cadmium, Calcium, Total Chromium, Chromium Hexavalent, Copper, Iron, Lead, Magnesium, Mercury, Nickel, Potassium, Sodium, Sodium Absorption Ratio (SAR), Zinc, Arsenic, Aluminium, Antimony, Barium, Cobalt, Selenium, Silver, Tin and Vanadium.
- d) **Organics (General) and Trace Organics:** Biochemical Oxygen Demand (BOD), Chemical Oxygen Demand (COD), Oil and Grease, Phenolic Compounds, Pesticides (each) (Organo-Chlorine and Organo Nitrogen-Phosphorus), Poly-Chlorinated Biphenyl (PCB's) each, Polynuclear Aromatic Hydrocarbon (PAH), Surfactants and Tannin & Lignin.
- e) **Microbiological Test:** Total Coliform, Faecal Coliform, *E. coli*, Faecal Streptococci and Total Plate Count.
- f) **Toxicological Tests:** Bioassay Method for Evaluation of Toxicity Using Fish (90% survival of fish after 96 hrs in 100% effluent) and Measurement of toxicity using Daphnia or other organism.

contd.

‘परिवेश भवन’ पर्वी अर्जुन नगर, दिल्ली-110032

Parivesh Bhawan, East Arjun Nagar, Delhi-110032

दूरभाष/Tel : 43102030, 22305792, वेबसाइट/Website : www.cpcb.nic.in



- g) **Biological Test:** Macrophytic Identification, Planktonic Identification Count and Chlorophyll.
- h) **Characterization of Hazardous Waste:** Corrosivity, Ignibility (Flash Point) and Measurement of Heavy Metals/Pesticides in the Waste/Leachate.
- i) **Soil/Sludge/Sediment and Solid Waste:** Boron, Cation Exchange Capacity (CEC), Electrical Conductivity, Nitrogen (Available), Organic Carbon/Matter (Chemical Method), pH, Phosphorous (Available), Phosphate (Ortho), Phosphate (Total), Potassium, SAR in Soil Extract, Sodium, Soil Moisture, TKN, Calorific Value, Ammonia, Bicarbonate, Calcium, Calcium Carbonate, Chloride, Colour, H. Acid, Heavy Metal, Magnesium, Nitrate, Nitrite, Potash(Available), Sulphate, Sulphur, Total Organic Carbon (TOC), Total Water Soluble Salt and Water Holding Capacity.
- j) **Ambient Air/ Fugitive Emissions:** Nitrogen Dioxide (NO₂), Sulphur Dioxide (SO₂), Total Suspended Particulate Matter, Respirable Suspended Particulate Matter (PM₁₀), Ammonia, Carbon monoxide, Chlorine, Lead, Ozone, Benzene Toluene Xylene (BTX), Polycyclic Aromatic Hydrocarbon (PAH) Benzo-a-Pyrene & others and PM_{2.5}.
- k) **Stack Gases/ Source Emission:** Particulate Matter, Sulphur Dioxide, Velocity & Flow, Carbon Dioxide, Carbon Monoxide, Temperature, Oxygen, Oxides of Nitrogen, Acid Mist, Ammonia, Chlorine, Total Hydrocarbon, Hydrogen Sulphide and Carbon Disulphide.
- l) **Noise Level:** Noise level measurement (20 to 140 dba) and Ambient Noise & Source Specific Noise.
- m) **Meteorological:** Ambient Temperature, Wind Direction, Wind Speed, Relative Humidity, Solar Radiation and Rain Fall.
4. The laboratory shall compulsorily participate in the Analytical Quality Control (AQC) Exercise conducted by the CPCB to ascertain the capability of the laboratory and analysts. The lab shall submit quarterly progress report on the sample analysis carried out to CPCB.
5. The surprise inspection / periodic surveillance of the recognized environment laboratory will be undertaken to assess its proper functioning systematic operation and reliability of data generated at the laboratory by a Joint Team as per the Notification.
6. The laboratory should have the mandatory requisite accreditation and certificate of the ISO: 17025 and ISO: 45001 as per rules. This recognition is subject to such accreditations and renewals as applicable and in case of serious non-compliance of any of the terms and conditions, the laboratory may be black listed for a minimum period of two years and civil/criminal proceedings, as applicable, may be initiated for performing functions on behalf of the Government in an unauthorized manner.
7. **M/s Environmental Laboratory (Unit of Mineral Engineering Services), Bengaluru, Karnataka** is required to apply for further renewal of recognition through online using CPCB web portal (<https://cpcbepalab.in/epalab>) before expiry of recognition with mandatory accreditation / certification concerned.

Yours faithfully,

M. S. S. S.
12/6/2024
Divisional Head
Instrumentation Laboratory

फा. सं. एलबी-2021/7/99/इंस्टलैब-एचओ-सीपीसीबी-एचओ / प्राइवेट / 554

मान्यता पत्र

सेवा में,

प्रयोगशाला प्रमुख,
मैसर्स एनवायरनमेंटल लैबोरेटरी (यूनिट ऑफ मिनरल इंजीन्यरिंग सर्विसेस एलएलपी),
948 दूसरी क्रॉस सेंट थॉमस टाउन पोस्ट,
कम्पनहल्ली, बेंगलुरु-560084,
कर्नाटक।

विषय: पर्यावरण (संरक्षण) अधिनियम, 1986 के अंतर्गत पर्यावरणीय प्रयोगशाला के रूप में मैसर्स एनवायरनमेंटल लैबोरेटरी (यूनिट ऑफ मिनरल इंजीन्यरिंग सर्विसेस एलएलपी), 948 दूसरी क्रॉस सेंट थॉमस टाउन पोस्ट, कम्पनहल्ली, बेंगलुरु-560084, कर्नाटक की मान्यता के बारे में।

महोदय,

केंद्रीय प्रदूषण नियंत्रण बोर्ड (के.प्र.नि.बोर्ड) को पर्यावरण (संरक्षण) अधिनियम, 1986 के अंतर्गत पर्यावरण प्रयोगशालाओं की मान्यता के लिए दिशानिर्देशों के निबंधन और शर्तों की स्वीकृति के साथ आपके दिनांक 19/03/2025 के प्रस्तुत आवेदन के संदर्भ में, के.प्र.नि.बोर्ड के सक्षम प्राधिकारी ने पर्यावरण प्रयोगशाला और सरकार के विश्लेषक की मान्यता के नवीनीकरण को अनुमोदन प्रदान किया है। तदनुसार, मैसर्स एनवायरनमेंटल लैबोरेटरी (यूनिट ऑफ मिनरल इंजीन्यरिंग सर्विसेस एलएलपी), 948 दूसरी क्रॉस सेंट थॉमस टाउन पोस्ट, कम्पनहल्ली, बेंगलुरु-560084, कर्नाटक को भारत की राजपत्र अधिसूचना में प्रयोगशाला की अनिवार्य प्रत्यायन/प्रमाणन की वर्तमान अपेक्षा को ध्यान में रखते हुए दिनांक 23/05/2028 (तीन साल) तक आईएसओ/ आईईसी 17025 और आईएस/आईएसओ 45001 की वैधता के साथ अधिसूचित किया जाएगा।

2. निम्नलिखित विश्लेषकों को सरकारी विश्लेषक के रूप में अनुमोदित किया गया है:

1. श्री. एम. सचिन राजू
2. श्रीमती अर्शिया कौसर
3. श्रीमती. बिनु मणि

3. प्रयोगशाला अनिवार्य रूप से स्वीकृत निबंधन और शर्तों का पालन करते हुए निम्नलिखित परीक्षणों करेगी:

- क. **भौतिक परीक्षण:** चालकता, रंग, पीएच, स्थिर और वाष्पशील ठोस, कुल ठोस, कुल विलीन ठोस, कुल निलंबित ठोस, आविलता, तापमान, वेग एवं निर्वहन औद्योगिक बहिःस्राव धारा का विसर्जन मापन, फ्लोक्यूलेशन टेस्ट (जार टेस्ट), गंध, लवणता, निपटान योग्य ठोस और आपंक वॉल्यूम इंडेक्स (एसवीआई)।
- ख. **अकार्बनिक (सामान्य और गैर-धात्विक):** अम्लता, क्षारीयता, अमोनिकल नाइट्रोजन, क्लोराइड, क्लोरीन अवशिष्ट, विलीन ऑक्सीजन, फ्लोराइड, कुल कठोरता, कुल केजेलडहल नाइट्रोजन (टीकेएन), नाइट्राइट नाइट्रोजन, नाइट्रेट नाइट्रोजन, फॉस्फेट, सल्फेट, साइनाइड, सिलिका और सल्फाइड।
- ग. **अकार्बनिक (सूक्ष्म मात्रिक धातु):** बोरोन, कैडमियम, कैल्शियम, टोटल क्रोमियम, क्रोमियम हेक्सावैलेंट, तांबा, लोहा, सीसा, मैग्नीशियम, पारा, निकल, पोटेशियम, सोडियम, सोडियम अवशोषण अनुपात (एसएआर), जिंक, आर्सेनिक, एल्युमीनियम, एंटीमनी, बेरियम, कोबाल्ट, सेलेनियम, सिल्वर, टिन और वैनेडियम।
- घ. **ऑर्गेनिक्स (सामान्य) और ट्रेस ऑर्गेनिक्स:** बायोकेमिकल ऑक्सीजन डिमांड (बीओडी), रासायनिक ऑक्सीजन डिमांड (सीओडी), तेल और ग्रीस, फेनोलिक यौगिक, कीटनाशक (प्रत्येक) (ऑर्गेनो-क्लोरीन और ऑर्गेनो नाइट्रोजन-फॉस्फोरस), पॉली-क्लोरीनेटेड बाइफिनाइल (पीसीबी) (प्रत्येक), पॉलीन्यूक्लियर एरोमैटिक हाइड्रोकार्बन (पीएच), सर्फेक्टेंट और टैनिन & लिग्निन।
- ङ. **सूक्ष्म जीवविज्ञान परीक्षण:** टोटल कोलीफॉर्म, फीकल कोलीफॉर्म, ई.कोली, फीकल स्ट्रेप्टोकोक्की, स्ट्रेप्टोकोक्की और टोटल प्लेट काउंट।
- च. **आविष विज्ञानी परीक्षण:** मछली का उपयोग करके विषाक्तता के मूल्यांकन के लिए जैव परख विधि (100% प्रवाह में 96 घंटे के बाद मछली का 90% जीवित रहना), और डैफ़निया या अन्य जीव का उपयोग करके विषाक्तता का मापन।

जारी.

- छ. **जैविक परीक्षण:** मैक्रोफाइटिक पहचान, प्लवक पहचान गणना और क्लोरोफिल।
- ज. **परिसंकटमय अपशिष्ट का लक्षण वर्णन:** संक्षारकता, ज्वलनशीलता (फ्लैश प्वाइंट) और अपशिष्ट & निक्षालक में भारी धातुओं/पीड़कनाशियों का मापन।
- झ. **मृदा/आपंक/तलछट और ठोस अपशिष्ट:** बोरॉन, कटियन एक्सचेंज क्षमता (सीईसी), विद्युत चालकता, नाइट्रोजन (उपलब्ध), कार्बनिक कार्बन/पदार्थ (रासायनिक विधि), पीएच, फास्फोरस (उपलब्ध), फॉस्फेट (ऑर्थो), फॉस्फेट (कुल), पोटेशियम, मृदा के अर्क में एसएआर, सोडियम, मृदा की नमी, टीकेएन, कैलोरी मान, अमोनिया, बाइकार्बोनेट, कैल्शियम, कैल्शियम कार्बोनेट, क्लोराइड, रंग, एच एसिड, भारी धातु, मैग्नीशियम, नाइट्रेट, नाइट्राइट, पोटेश (उपलब्ध), सल्फेट, सल्फर, कुल कार्बनिक कार्बन (टीओसी), कुल पानी में घुलनशील नमक और जल धारण क्षमता।
- ञ. **परिवेशी वायु/पलायक उत्सर्जन:** नाइट्रोजन डाइऑक्साइड (एनओ₂), सल्फर डाइऑक्साइड (एसओ₂), कुल निलंबित विविक्त कण, श्वसन योग्य निलंबित कण पदार्थ (पीएम₁₀), अमोनिया, कार्बन मोनोऑक्साइड, क्लोरीन, सीसा, ओजोन, बेंजीन टोल्युनि जाइलीन (बीटीएक्स), पॉलीसाइक्लिक एरोमैटिक हाइड्रोकार्बन (पीएच) बेंजो-ए-पाइरिन और अन्य और पीएम_{2.5}।
- ट. **चिमनी गैसें/स्रोत उत्सर्जन:** पार्टिकुलेट मैटर, सल्फर डाइऑक्साइड, वेग और प्रवाह, कार्बन डाइऑक्साइड, कार्बन मोनोऑक्साइड, तापमान, ऑक्सीजन, नाइट्रोजन के ऑक्साइड, एसिड धुंध, अमोनिया, कुल हाइड्रोकार्बन, हाइड्रोजन सल्फाइड और कार्बन डाइसल्फाइड।
- ठ. **रव (शोर) स्तर:** शोर स्तर माप (20 से 140 डीबीए) और परिवेश रव & स्रोत विशिष्ट रव।
- ड. **मौसम संबंधी:** परिवेश का तापमान, हवा की दिशा, हवा की गति, सापेक्ष आर्द्रता, सौर विकिरण और वर्षा।
4. प्रयोगशाला और विश्लेषकों की क्षमता का पता लगाने के लिए प्रयोगशाला को के.प्र.नि. बोर्ड द्वारा आयोजित विश्लेषणात्मक गुणवत्ता नियंत्रण) एक्जूसी (अभ्यास में अनिवार्य रूप से भाग लेना होगा। प्रयोगशाला किए गए नमूना विश्लेषण पर के.प्र.नि. बोर्ड को तिमाही प्रगति रिपोर्ट प्रस्तुत करेगी।
5. अधिसूचना के अनुसार, एक संयुक्त दल द्वारा मान्यता प्राप्त पर्यावरण प्रयोगशाला का औचक निरीक्षण/आवधिक निगरानी उस के उचित कामकाज, व्यवस्थित प्रचालन और प्रयोगशाला में तैयार किए गए आंकड़ों की विश्वसनीयता का निर्धारण करने के लिए की जाएगी।
6. प्रयोगशाला के पास नियमानुसार ISO/IEC: 17025)2017 (और IS/ ISO: 45001 का अपेक्षित प्रत्यायन और प्रमाण पत्र होना चाहिए। यह मान्यता यथा लागू प्रत्यायन और नवीनीकरण के अधीन है और किसी भी निबंधन और शर्तों के गंभीर गैर-अनुपालन के मामले में, प्रयोगशाला को न्यूनतम दो साल की अवधि के लिए ब्लैकलिस्ट किया जा सकता है और सरकार की ओर से अनधिकृत तरीके से कार्य करने के लिए, यथा लागू सिविल/आपराधिक कार्यवाही शुरू की जा सकती है।
7. **मैसर्स एनवायरनमेंटल लैबोरेटरी (यूनिट ऑफ मिनरल इंजीनियरिंग सर्विसेस एलएलपी), बेंगलुरु, कर्नाटक** को संबंधित अनिवार्य प्रत्यायन/प्रमाणीकरण के साथ मान्यता की समाप्ति से पूर्व केंद्रीय प्रदूषण नियंत्रण बोर्ड के वेबपोर्टल (<https://cpcbepalab.in/epalab>) का उपयोग कर के ऑनलाइन मान्यता के नवीनीकरण के लिए आवेदन करना अपेक्षित है।

भवदीय,
 14/6/2024
 प्रभागप्रमुख
 उपकरणीय प्रयोगशाला

ENVIRONMENTAL MONITORING REPORT

Project	Mining Lease No. 2678
Location	Deogiri Manganese & Iron Ore Mine, Kammathuru Iron Ore Mine, Subrayanahalli Manganese & Iron Ore Mine, Sandur Taluk, Ballari Dist, Karnataka
Client	M/s. The Sandur Manganese & Iron Ores Limited
Office Address	Sandur, Ballari District, Karnataka
Monitoring Month	March -2026

ENVIRONMENTAL LABORATORY **(Unit of Mineral Engineering Services LLP)**

Recognised by MoEF&CC Under E(P) Act 1986

&

Accredited by NABL

#948, 2nd Cross, Kammanahalli Main Road,

St Thomas Town Post,

Bangalore- 560 084, Karnataka

LIST OF TABLES

SL. NO.	PARTICULARS	Table No.
1	Test Report of Ambient Air Quality	1 to 10
2	Test Report of Fugitive Air Quality	11 & 13
3	Dust Fall Measurement	14
4	Ambient Noise Monitoring Report	15
5	Source Water Noise Monitoring Report	16
6	STP Water Test Report	17 & 18
7	Surface Water Test Report	19 & 20
8	Ground Water Test Report	21 & 22
9	Drinking Water Test Report	23 & 24
10	Soil Test Report	25 & 26
11	DG Stack Monitoring Report	27 to 34
12	Mobile Crusher Stack Monitoring Report	35 & 39



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No.1

AMBIENT AIR QUALITY

Name of the Client : The Sandur Manganese & Iron Ores Limited
Name of the Project : Mining Lease No. 2678
Location : Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.
Sample Collected by : Environmental Laboratory (Unit of Mineral Engineering Services LLP)
Code & Station : A1 - Mine Pit (SK) / (CBG)
Duration : 24 Hrs
Issue date : 02.04.2026
Sampling & Test Methc: IS 5182 & Lab SOP

Date of Sampling	Report No	Sulphur Dioxide (SO ₂), µg/m ³	Nitrogen Dioxide (NO ₂), µg/m ³	Particulate Matter		Carbon Monoxide* (CO), mg/m ³
				PM ₁₀ , (µg/m ³)	PM _{2.5} , (µg/m ³)	
06.03.2026	N012626031	11	16	58	30	0.42
07.03.2026	N002326032	9	13	62	33	0.35
09.03.2026	N010126032	14	18	55	28	0.22
10.03.2026	N016826032	10	12	46	27	0.38
20.03.2026	N018826033	12	16	60	32	0.45
21.03.2026	N000526034	10	13	53	30	0.52
23.03.2026	N006626034	15	18	58	33	0.36
24.03.2026	N014326034	12	16	49	22	0.41
NAAQS Limits for Industrial , Residential, Rural and other Areas		80 24 Hrs	80 24 Hrs	100 24 Hrs	60 24 Hrs	4 1 Hr

Note : * Parameters monitored for period of 1 hr

Arshiya Kousar
ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envttest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No.2

AMBIENT AIR QUALITY

Name of the Client : The Sandur Manganese & Iron Ores Limited						
Name of the Project : Mining Lease No. 2678						
Location : Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.						
Sample Collected by : Environmental Laboratory (Unit of Mineral Engineering Services LLP)						
Code & Station : A2 - Kammathuru (within ML Area)						
Duration : 24 Hrs						
Issue date : 02.04.2026						
Sampling & Test Methc : IS 5182 & Lab SOP						
Date of Sampling	Report No	Sulphur Dioxide (SO ₂), µg/m ³	Nitrogen Dioxide (NO ₂), µg/m ³	Particulate Matter		Carbon Monoxide* (CO), mg/m ³
				PM ₁₀ , (µg/m ³)	PM _{2.5} , (µg/m ³)	
06.03.2026	N012726031	11	13	57	32	0.53
07.03.2026	N002426032	12	16	60	34	0.37
09.03.2026	N010226032	9	14	55	29	0.33
10.03.2026	N016926032	10	13	46	24	0.43
20.03.2026	N018926033	13	17	52	30	0.47
21.03.2026	N000626034	15	18	44	28	0.52
23.03.2026	N006726034	10	14	55	28	0.46
24.03.2026	N014426034	14	18	49	25	0.44
NAAQS Limits for Industrial , Residential, Rural and other Areas		80 24 Hrs	80 24 Hrs	100 24 Hrs	60 24 Hrs	4 1 Hr
Note : * Parameters monitored for period of 1 hr						

Arshiya Kousar
ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No.3

AMBIENT AIR QUALITY

Name of the Client	: The Sandur Manganese & Iron Ores Limited
Name of the Project	: Mining Lease No. 2678
Location	: Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.
Sample Collected by	: Environmental Laboratory (Unit of Mineral Engineering Services LLP)
Code & Station	: A3 - Deogiri (within ML Area)
Duration	: 24 Hrs
Issue date	: 02.04.2026
Sampling & Test Methc:	: IS 5182 & Lab SOP

Date of Sampling	Report No	Sulphur Dioxide (SO ₂), µg/m ³	Nitrogen Dioxide (NO ₂), µg/m ³	Particulate Matter		Carbon Monoxide* (CO), mg/m ³
				PM ₁₀ , (µg/m ³)	PM _{2.5} , (µg/m ³)	
06.03.2026	N012826031	12	15	58	30	0.38
07.03.2026	N002526032	10	12	48	26	0.42
09.03.2026	N010326032	13	18	53	28	0.45
10.03.2026	N017026032	11	14	45	26	0.36
20.03.2026	N019026033	9	11	51	29	0.28
21.03.2026	N000726034	10	12	43	26	0.32
23.03.2026	N006826034	13	18	55	30	0.45
24.03.2026	N014526034	10	16	47	25	0.48
NAAQS Limits for Industrial , Residential, Rural and other Areas		80 24 Hrs	80 24 Hrs	100 24 Hrs	60 24 Hrs	4 1 Hr

Note : * Parameters monitored for period of 1 hr

Arshiya Kusar
ARSHIYA KUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No.4

AMBIENT AIR QUALITY

Name of the Client : The Sandur Manganese & Iron Ores Limited
Name of the Project : Mining Lease No. 2678
Location : Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.
Sample Collected by : Environmental Laboratory (Unit of Mineral Engineering Services LLP)
Code & Station : A4 - SBH Plot (Mine Boundary)
Duration : 24 Hrs
Issue date : 02.04.2026
Sampling & Test Methc : IS 5182 & Lab SOP

Date of Sampling	Report No	Sulphur Dioxide (SO ₂), µg/m ³	Nitrogen Dioxide (NO ₂), µg/m ³	Particulate Matter		Carbon Monoxide* (CO), mg/m ³
				PM ₁₀ , (µg/m ³)	PM _{2.5} , (µg/m ³)	
06.03.2026	N012926031	8	12	50	27	0.31
07.03.2026	N002626032	12	17	38	16	0.28
09.03.2026	N010426032	11	15	43	26	0.45
10.03.2026	N017126032	10	13	52	28	0.35
20.03.2026	N019126033	8	11	49	27	0.28
21.03.2026	N000826034	11	15	40	22	0.43
23.03.2026	N006926034	14	18	53	30	0.38
24.03.2026	N014626034	9	12	45	24	0.41
NAAQS Limits for Industrial , Residential, Rural and other Areas		80 24 Hrs	80 24 Hrs	100 24 Hrs	60 24 Hrs	4 1 Hr

Note : * Parameters monitored for period of 1 hr

Arshiya Kousar
ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No.5

AMBIENT AIR QUALITY

Name of the Client : The Sandur Manganese & Iron Ores Limited
Name of the Project : Mining Lease No. 2678
Location : Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.
Sample Collected by : Environmental Laboratory (Unit of Mineral Engineering Services LLP)
Code & Station : A5 - Subbarayanahalli (within ML Area)
Duration : 24 Hrs
Issue date : 02.04.2026
Sampling & Test Methc: IS 5182 & Lab SOP

Date of Sampling	Report No	Sulphur Dioxide (SO ₂), µg/m ³	Nitrogen Dioxide (NO ₂), µg/m ³	Particulate Matter		Carbon Monoxide* (CO), mg/m ³
				PM ₁₀ , (µg/m ³)	PM _{2.5} , (µg/m ³)	
06.03.2026	N013026031	15	18	60	33	0.52
07.03.2026	N002726032	12	15	54	28	0.40
09.03.2026	N010526032	9	13	53	26	0.38
10.03.2026	N017226032	10	13	45	24	0.55
20.03.2026	N019226033	7	11	40	22	0.31
21.03.2026	N000926034	14	19	56	30	0.45
23.03.2026	N007026034	12	10	56	31	0.42
24.03.2026	N014726034	9	15	40	24	0.38
NAAQS Limits for Industrial , Residential, Rural and other Areas		80 24 Hrs	80 24 Hrs	100 24 Hrs	60 24 Hrs	4 1 Hr

Note : * Parameters monitored for period of 1 hr

Arshiya Kousar
ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT


Table No.6

AMBIENT AIR QUALITY

Name of the Client : The Sandur Manganese & Iron Ores Limited
Name of the Project : Mining Lease No. 2678
Location : Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.
Sample Collected by : Environmental Laboratory (Unit of Mineral Engineering Services LLP)
Code & Station : A6 - Appayyanahalli (Narayanpura)
Duration : 24 Hrs
Issue date : 02.04.2026
Sampling & Test Methc: IS 5182 & Lab SOP

Date of Sampling	Report No	Sulphur Dioxide (SO ₂), µg/m ³	Nitrogen Dioxide (NO ₂), µg/m ³	Particulate Matter		Carbon Monoxide* (CO), mg/m ³
				PM ₁₀ , (µg/m ³)	PM _{2.5} , (µg/m ³)	
06.03.2026	N013126031	13	16	53	28	0.29
07.03.2026	N002826032	12	13	58	35	0.33
09.03.2026	N010626032	10	12	48	26	0.45
10.03.2026	N017326032	7	9	45	24	0.52
20.03.2026	N019326033	14	18	55	32	0.46
21.03.2026	N001026034	13	16	50	28	0.37
23.03.2026	N007126034	11	13	46	24	0.24
24.03.2026	N014826034	10	14	35	22	0.55
NAAQS Limits for Industrial , Residential, Rural and other Areas		80 24 Hrs	80 24 Hrs	100 24 Hrs	60 24 Hrs	4 1 Hr

Note : * Parameters monitored for period of 1 hr


ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No.7

AMBIENT AIR QUALITY

Name of the Client : The Sandur Manganese & Iron Ores Limited
Name of the Project : Mining Lease No. 2678
Location : Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.
Sample Collected by : Environmental Laboratory (Unit of Mineral Engineering Services LLP)
Code & Station : A7 - Vitalanagar (Navalatti)
Duration : 24 Hrs
Issue date : 02.04.2026
Sampling & Test Methc : IS 5182 & Lab SOP

Date of Sampling	Report No	Sulphur Dioxide (SO ₂), µg/m ³	Nitrogen Dioxide (NO ₂), µg/m ³	Particulate Matter		Carbon Monoxide* (CO), mg/m ³
				PM ₁₀ , (µg/m ³)	PM _{2.5} , (µg/m ³)	
06.03.2026	N013226031	11	18	49	26	0.42
07.03.2026	N002926032	9	12	52	30	0.48
09.03.2026	N010726032	11	15	44	23	0.38
10.03.2026	N017426032	14	19	58	34	0.45
20.03.2026	N019426033	9	13	56	30	0.38
21.03.2026	N001126034	10	16	47	26	0.45
23.03.2026	N007226034	12	18	53	29	0.33
24.03.2026	N014926034	11	13	49	26	0.41
NAAQS Limits for Industrial , Residential, Rural and other Areas		80 24 Hrs	80 24 Hrs	100 24 Hrs	60 24 Hrs	4 1 Hr

Note : * Parameters monitored for period of 1 hr

Arshiya Kousar
ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT


Table No.8

AMBIENT AIR QUALITY

Name of the Client : The Sandur Manganese & Iron Ores Limited
Name of the Project : Mining Lease No. 2678
Location : Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.
Sample Collected by : Environmental Laboratory (Unit of Mineral Engineering Services LLP)
Code & Station : A8 - Swamihalli
Duration : 24 Hrs
Issue date : 02.04.2026
Sampling & Test Methc: IS 5182 & Lab SOP

Date of Sampling	Report No	Sulphur Dioxide (SO ₂), µg/m ³	Nitrogen Dioxide (NO ₂), µg/m ³	Particulate Matter		Carbon Monoxide* (CO), mg/m ³
				PM ₁₀ , (µg/m ³)	PM _{2.5} , (µg/m ³)	
06.03.2026	N013326031	12	16	58	32	0.38
07.03.2026	N003026032	9	12	53	29	0.45
09.03.2026	N010826032	10	14	44	24	0.52
10.03.2026	N017526032	12	16	55	31	0.38
20.03.2026	N019526033	9	12	50	29	0.25
21.03.2026	N001226034	10	15	48	26	0.38
23.03.2026	N007326034	11	13	38	24	0.29
24.03.2026	N015026034	12	16	53	32	0.34
NAAQS Limits for Industrial , Residential, Rural and other Areas		80 24 Hrs	80 24 Hrs	100 24 Hrs	60 24 Hrs	4 1 Hr

Note : * Parameters monitored for period of 1 hr


ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No.9

AMBIENT AIR QUALITY

Name of the Client : The Sandur Manganese & Iron Ores Limited
Name of the Project : Mining Lease No. 2678
Location : Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.
Sample Collected by : Environmental Laboratory (Unit of Mineral Engineering Services LLP)
Code & Station : A9 - Yeswanthanagar
Duration : 24 Hrs
Issue date : 02.04.2026
Sampling & Test Methc : IS 5182 & Lab SOP

Date of Sampling	Report No	Sulphur Dioxide (SO ₂), µg/m ³	Nitrogen Dioxide (NO ₂), µg/m ³	Particulate Matter		Carbon Monoxide* (CO), mg/m ³
				PM ₁₀ , (µg/m ³)	PM _{2.5} , (µg/m ³)	
06.03.2026	N013426031	9	15	43	25	0.41
07.03.2026	N003126032	13	18	50	31	0.28
09.03.2026	N010926032	11	14	47	29	0.22
10.03.2026	N017626032	15	19	54	30	0.52
20.03.2026	N019626033	12	16	59	33	0.48
21.03.2026	N001326034	9	11	46	23	0.31
23.03.2026	N007426034	11	15	52	28	0.28
24.03.2026	N015126034	10	13	56	30	0.45
NAAQS Limits for Industrial , Residential, Rural and other Areas		80 24 Hrs	80 24 Hrs	100 24 Hrs	60 24 Hrs	4 1 Hr

Note : * Parameters monitored for period of 1 hr

Arshiya Kousar
ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No.10

AMBIENT AIR QUALITY

Name of the Client : The Sandur Manganese & Iron Ores Limited
Name of the Project : Mining Lease No. 2678
Location : Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.
Sample Collected by : Environmental Laboratory (Unit of Mineral Engineering Services LLP)
Code & Station : A10 - Tonasigeri
Duration : 24 Hrs
Issue date : 02.04.2026
Sampling & Test Methc: IS 5182 & Lab SOP

Date of Sampling	Report No	Sulphur Dioxide (SO ₂), µg/m ³	Nitrogen Dioxide (NO ₂), µg/m ³	Particulate Matter		Carbon Monoxide* (CO), mg/m ³
				PM ₁₀ , (µg/m ³)	PM _{2.5} , (µg/m ³)	
06.03.2026	N013526031	9	12	45	24	0.38
07.03.2026	N003226032	11	15	38	22	0.26
09.03.2026	N011026032	10	17	52	28	0.28
10.03.2026	N017726032	9	12	47	26	0.35
20.03.2026	N019726033	11	18	55	32	0.44
21.03.2026	N001426034	14	16	40	24	0.35
23.03.2026	N007526034	12	16	57	32	0.33
24.03.2026	N015226034	10	14	59	33	0.43
NAAQS Limits for Industrial , Residential, Rural and other Areas		80 24 Hrs	80 24 Hrs	100 24 Hrs	60 24 Hrs	4 1 Hr

Note : * Parameters monitored for period of 1 hr

Arshiya Kousar
ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No. 11

Fugitive Emission

Name of the Client	: The Sandur Manganese & Iron Ores Limited		
Name of the Project	: Deogiri Manganese & Iron Ore Mine (ML NO. 2678)		
Location	: Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.		
Sample Collected by	: Environmental Laboratory (Unit of Mineral Engineering Services LLP)		
Duration	: 08 Hrs		
Issue Date	: 02.04.2026		
Code & Station	Date of sample	Report No	Particulate mater ($\mu\text{g}/\text{m}^3$)
FA1-Mine Face / Benches (CBG Section)	23.03.2026	N007626034	298
FA2 - Haulage Road / Service Road (CBG Section)	23.03.2026	N007726034	465
FA3 - Crushing & Screening Plant (CBG Section)	23.03.2026	N007826034	497
FA4 - Mineral Stack Yard / Loading (CBG Section)	24.03.2026	N015326034	473
FA5 - Active Waste Dump (CBG Section)	24.03.2026	N015426034	512
Ref : As per CFO in Annexure - II issued KSPCB			
Permissible limits for Fugitive Emissions			Particulate mater ($\mu\text{g}/\text{m}^3$) 600 $\mu\text{g}/\text{m}^3$

Arshiya Kousar
ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No. 12

Fugitive Emission

Name of the Client	: The Sandur Manganese & Iron Ores Limited
Name of the Project	: Kammathuru Iron Ore (KTIO) (ML No. 2678)
Location	: Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.
Sample Collected by	: Environmental Laboratory (Unit of Mineral Engineering Services LLP)
Duration	: 08 Hrs
Issue Date	: 02.04.2026

Code & Station	Date of sample	Report No	Particulate mater ($\mu\text{g}/\text{m}^3$)
FA1-Mine Face / Benches (A Block)	06.03.2026	N013626031	356
FA2 - Haulage Road / Service Road (A Block)	06.03.2026	N013726031	452
FA3 - Crushing & Screening Plant (A Block)	06.03.2026	N013826031	520
FA4 - Mineral Stack Yard / Loading (A Block)	07.03.2026	N003326032	375
FA5 - Active Waste Dump (B Block)	07.03.2026	N003426032	483

Ref : As per CFO in Annexure - II issued KSPCB

Particulate mater ($\mu\text{g}/\text{m}^3$)

Permissible limits for Fugitive Emissions

600 $\mu\text{g}/\text{m}^3$

Arshiya Kousar
ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(GPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No. 13

Fugitive Emission

Name of the Client	: The Sandur Manganese & Iron Ores Limited
Name of the Project	: Subrayanahalli Manganese & Iron Ore Mine (ML NO. 2678)
Location	: Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.
Sample Collected by	: Environmental Laboratory (Unit of Mineral Engineering Services LLP)
Duration	: 08 Hrs
Issue Date	: 02.04.2026

Code & Station	Date of sample	Report No	Particulate mater ($\mu\text{g}/\text{m}^3$)
FA1-Mine Face / Benches (KVH Section)	20.03.2026	N019826033	396
FA2 - Haulage Road / Service Road (KVH Section)	20.03.2026	N019926033	457
FA3 - Crushing & Screening Plant (KVH Section)	20.03.2026	N020026033	512
FA4 - Mineral Stack Yard / Loading (KVH Section)	20.03.2026	N020126033	356
FA5 - Active Waste Dump (KVH Section)	20.03.2026	N020226033	465

Ref : As per CFO in Annexure - II issued KSPCB

Particulate mater ($\mu\text{g}/\text{m}^3$)
Permissible limits for Fugitive Emissions 600 $\mu\text{g}/\text{m}^3$


ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No. 14

Analysis Report of Dust Fall Measurement

Name of the Client	The Sandur Manganese & Iron Ores Limited
Name of the Project	Mining Lease No. 2678
Location	Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.
Month	01.03.2026 to 31.03.2026
Sample Type	Dust Fall
Duration of Monitoring	One Month
Issue Date	02.04.2026

Result

Code	Location	Result	unit	Reference Method
DF1	Deogiri mines office	0.141	g/m ² month	IS 5182 (Part 01) : 2006
DF2	Kammathuru (Near School)	0.135	g/m ² month	IS 5182 (Part 01) : 2006
DF3	Appayyanahalli	0.155	g/m ² month	IS 5182 (Part 01) : 2006
DF4	Subbarayanahalli (Near Hospital)	0.112	g/m ² month	IS 5182 (Part 01) : 2006
DF5	Yeswanthanagar (Near Railway Track)	0.144	g/m ² month	IS 5182 (Part 01) : 2006

Sample Collected by : Environmental Laboratory (Unit of Mineral Engineering Services LLP)

Arshiya Kousar
ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No. 15

AMBIENT NOISE LEVEL DATA

Report No : ELMES026303

Name of the Client	: The Sandur Manganese & Iron Ores Limited							
Name of the Project	: Mining Lease No. 2678							
Location	: Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.							
Sample Collected by	: Environmental Laboratory (Unit of Mineral Engineering Services LLP)							
Particulars of Sample	: Noise levels							
Issue Date	: 02.04.2026							
Sampling	: IS : 9989 & CPCB Guidelines							
Corezone								
Code No.	Monitoring stations	Date of monitoring	Day			Night		
			L _{min}	L _{eq}	L _{max}	L _{min}	L _{eq}	L _{max}
N1	Mine Pit (SK/CBG)	06.03.2026	41.3	61.0	69.0	35.2	52.2	59.0
N2	Kammathuru ML Area	06.03.2026	39.6	59.6	69.5	37.3	50.2	56.2
N3	Deogiri ML Area	06.03.2026	43.0	61.7	70.0	36.0	49.3	58.2
N4	SBS Plot (Mine Boundary)	07.03.2026	42.0	64.3	74.2	37.6	52.0	58.9
N5	SB Halli ML Area	07.03.2026	44.0	61.1	68.3	35.0	47.5	56.2
N6	Mine area	07.03.2026	41.6	66.8	76.2	38.0	52.0	59.2
Bufferzone								
Code No.	Monitoring stations	Date of monitoring	Day			Night		
			L _{min}	L _{eq}	L _{max}	L _{min}	L _{eq}	L _{max}
N7	Appayanahalli (Narayanapura)	09.03.2026	37.0	47.4	53.5	34.0	41.7	46.8
N8	Vitthalanagar (Navalatti)	09.03.2026	38.0	49.5	56.7	35.0	41.9	47.0
N9	Swamihalli	09.03.2026	36.0	49.9	56.0	33.5	40.2	45.7
N10	Yeshwanthnagar	10.03.2026	40.0	52.6	57.2	35.2	44.0	48.0
N11	Tonasingeri	10.03.2026	38.0	49.5	54.3	36.0	39.9	46.0
N12	Kumaraswamy Temple	10.03.2026	37.7	50.9	58.0	34.0	41.0	47.2
Permissible Limits of Ambient Noise Levels as per CPCB Guidelines								
			Leq. Limit dB(A)					
			Day			Night		
Industrial areas			75			70		
Commercial area			65			55		
Residential area			55			45		


ARSHIYA KOJSAR
 Dy TM - Chemical
 Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No. 16

SOURCE NOISE LEVEL DATA

Report No : ELMES026304

Name of the Client	: The Sandur Manganese & Iron Ores Limited					
Name of the Project	: Mining Lease No. 2678					
Location	: Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.					
Sample Collected by	: Environmental Laboratory (Unit of Mineral Engineering Services LLP)					
Particulars of Sample	: Noise levels					
Issue Date	: 02.04.2026					
Sampling	: IS : 9989 & CPCB Guidelines					
Source						
Code No.	Monitoring stations	Date of monitoring	Day			Remarks
			L _{min}	L _{eq}	L _{max}	
N1	Mine Face	20.03.2026	43.5	63.2	76.2	During operation
N2	Haulage Road	20.03.2026	44.5	72.1	80.1	During operation
N3	Crushing & Screening Plant	20.03.2026	48.0	78.0	82.3	During operation
N4	Mineral Stock Yard	20.03.2026	43.0	58.1	60.1	During operation
N5	Active Waste Dump	20.03.2026	45.0	68.0	74.2	During operation
Permissible Limits of Ambient Noise Levels as per CPCB Guidelines						
Leq. Limit dB(A)						
Day Night						
Industrial areas 75 70						
Heavy Earth Moving Machineries						
Code No.	Monitoring stations	Date of monitoring	Day			Remarks
			L _{min}	L _{eq}	L _{max}	
N6	DG 1010 KVA (808 KW)	23.03.2026	40.5	70.2	76.2	During operation from 10mts distance
N7	Wheel Loader	23.03.2026	42.0	68.0	75.0	During operation in side of the cabin
			44.0	70.0	80.2	During operation 10mts outside of the cabin
N8	Tata Hitachi 200LC	23.03.2026	43.2	68.0	78.2	During operation in side of the cabin
			44.0	72.0	81.0	During operation 10mts outside of the cabin
N9	Volvo Hitachi EC260 BLC	23.03.2026	38.0	70.0	75.0	During operation in side of the cabin
			41.0	72.0	79.0	During operation 10mts outside of the cabin
N10	Excavator EC2100 Operator	23.03.2026	45.0	71.6	76.5	During operation in side of the cabin
			49.0	73.8	80.0	During operation 10mts outside of the cabin
N11	Sandvik Screening & Crushing Plant - MCP- 2 (500 TPH)	24.03.2026	40.6	69.5	79.0	During operation from 10mts distance
N12	Sandvik Screening & Crushing Plant - MCP- 1 (500 TPH)	24.03.2026	38.6	65.8	76.0	During operation from 10mts distance
N13	Terex Screening Plant - MSP- 2 (350 TPH)	24.03.2026	43.0	72.0	76.0	During operation from 10mts distance
N14	Keestrak Screening Plant - MSP-1 (600 TPH)	24.03.2026	46.0	74.0	80.0	During operation from 10mts distance
N15	Keestrak Screening Plant - MSP-3 (350 TPH)	24.03.2026	45.0	73.0	78.0	During operation from 10mts distance
N16	Keestrak Crushing & Screening Plant - MCP- 3 (350 TPH)	24.03.2026	44.0	70.0	76.0	During operation from 10mts distance
Permissible limits as per ILO Code of Practice						
For Unprotected ear - 8 hrs working shift						
Warning limit - 85 dB(A)						
Danger limit - 90 dB(A)						
Worker not to be exposed for more than 115 dB(A)						
With ear protection -						
130 dB(A) 'Impulse' or 120 dB(A) 'Fast'						
No entry when noise level exceeds 140 dB(A)						


ARSHIYA KOUSAR
 Dy TM - Chemical
 Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028


TEST REPORT

Table No. 17

Name of the Client	: The Sandur Manganese & Iron Ores Limited
Name of the Project	: Mining Lease No. 2678
Location	: Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.
Sample Collected by	: Environmental Laboratory (Unit of Mineral Engineering Services LLP)
Nature of Sample	: STP Water
Sample Location	: STP1, Inlet Water sample from 100 KLD STP, Deogiri
Date of sample collection	: 10.03.2026
Date of sample receipt	: 11.03.2026
Report No	: M002626032
Issue Date	: 02.04.2026
Ref: G S R 1265 (e) and CPCB Standards	

Sl.No.	Sample Code	STP1	Results	Method of Testing
	Parameters	Unit		
1	pH	-	6.98	IS 3025 (P-11) 2022
2	Biochemical Oxygen Demand BOD ₅ 27° C	mg/l	56	IS 3025 (Part 44) 2023
3	Chemical Oxygen Demand (COD)	mg/l	220	IS 3025 (Part 58) 2023
4	Total Suspended Solids, at 105°C	mg/l	340	IS 3025 (P-17) 2022
5	Ammonium (H4-N)	mg/l	2.1	IS:3025 (Part-34 Sec 1) 2023
6	Total Nitrogen (N-Total)	mg/l	12	IS 3025 (Part-34 sec 1) 2023
7	Fecal coliform	MPN/100ml	170	APHA 24 th Edition chapter 9221 E


BINU MANI
 TM - Microbiology
 Govt Analyst/Authorised Signatory


ARSHIYA KOUSAR
 Dy TM - Chemical
 Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No. 18

Name of the Client	: The Sandur Manganese & Iron Ores Limited
Name of the Project	: Mining Lease No. 2678
Location	: Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.
Sample Collected by	: Environmental Laboratory (Unit of Mineral Engineering Services LLP)
Nature of Sample	: STP Water
Sample Location	: STP2, Outlet Water sample from 100 KLD STP, Deogiri
Date of sample collection	: 10.03.2026
Date of sample receipt	: 11.03.2026
Report No	: M002726032
Issue Date	: 02.04.2026

Ref: G S R 1265 (e) and CPCB Standards

Sl.No.	Parameters	units	Results	Sewage Effluent Discharge Standards	Method of Testing
1	pH	-	6.94	6.5 - 9.0	IS 3025 (P-11) 2022
2	Biochemical Oxygen Demand BOD ₃ 27 ^o C	mg/l	4.6	<10	IS 3025 (Part 44) 2023
3	Chemical Oxygen Demand (COD)	mg/l	30	<50	IS 3025 (Part 58) 2023
4	Total Suspended Solids, at 105 ^o C	mg/l	15	<20	IS 3025 (P-17) 2022
5	Ammonium (H4-N)	mg/l	2.1	<5	IS:3025 (Part-34 Sec 1) 2023
6	Total Nitrogen (N-Total)	mg/l	4	<10	IS 3025 (Part-34 sec 1) 2023
7	Fecal coliform	MPN/100ml	21	<100	APHA 24 th Edition chapter 9221 E

BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No. 19

Name of the Client	: The Sandur Manganese & Iron Ores Limited
Name of the Project	: Mining Lease No. 2678
Location	: Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.
Sample Collected by	: Environmental Laboratory (Unit of Mineral Engineering Services LLP)
Nature of sample	: Surface water
Sample Location	: SW1 - Durgammakolla spring water, SW2 - JLK spring water SW3 - Katrasinghkolla spring water
Issue Date	: 02.04.2026
Ref : IS : 2296, Water Quality Standards	

Date of sample collection		10.03.2026	10.03.2026	10.03.2026	Limits	Method of Testing
Date of sample receipt		11.03.2026	11.03.2026	11.03.2026		
Report No		M001426032	M001526032	M001626032	Limits	Method of Testing
Sl.No.	Sample Code	SW1	SW2	SW3		
Parameters		Results			Limits	Method of Testing
1	pH	7.53	6.39	7.62		
2	Colour (Hazen Units)	1	1	1	300	IS 3025 (Part 11) 2022
3	Odour	Agreeable	Agreeable	Agreeable	-	IS:3025 (P-5) 2018
4	Total Dissolved Solids (mg/l)	260	136	124	1500	IS 3025 (Part 16) 2023
5	Total Suspended Solids, mg/l	8	6	8	-	IS 3025 (Part 17) 2023
6	Dissolved Oxygen (as O ₂), mg/l	5.6	5.7	5.8	Min 4	IS:3025(Part-38)1989RA 2019
7	Biochemical Oxygen Demand (as O ₂), mg/l	<3.0	<3.0	<3.0	3	IS 3025 (Part 44) 2023
8	Total Hardness (as CaCO ₃),mg/l	86	44	60	-	IS:3025 (P-21):2009 RA 2023
9	Sulphates as SO ₄ (mg/l)	60.0	22.6	19.0	400	APHA (24th Edition):4110B
10	Phosphates (as P), mg/l	<0.05	<0.05	<0.05	-	IS 3025 (P-31) Sec 1 2022
11	Chloride (as Cl),mg/l	35.0	40.0	45.0	600	IS:3025(Part-32) 1988RA2019
12	Fluoride (as F),mg/l	0.30	0.28	0.25	0.38	IS 3025 (Part 60-Sec1) 2023
13	Sulphide (as H ₂ S) , mg/l	<0.01	<0.01	<0.01	-	IS:3025 (P-29) 2022
14	Boron (as B), mg/l	<0.1	<0.1	<0.1	-	IS:3025 (Part-57) 2021
15	Iron (as Fe),mg/l	<0.005	<0.005	<0.005	50	IS 3025 (Part 65) 2022
16	Percent of Sodium (%)	22.12	22.15	22.32	-	IS 11624 .2009
17	Residual Sodium Carbonate (meq/l)	<0.5	<0.5	<0.5	-	IS 11624 .2009
18	Total Coliform, MPN/100ml	86	44	60	5000	IS 15185 2016 RA 2021

"END OF REPORT"


 BINU MANI
 TM - Microbiology
 Govt Analyst/Authorised Signatory


 ARSHIYA KOUSAR
 Dy TM - Chemical
 Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028


TEST REPORT

Table No.20

Name of the Client		: The Sandur Manganese & Iron Ores Limited			
Name of the Project		: Mining Lease No. 2678			
Location		: Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.			
Sample Collected by		: Environmental Laboratory (Unit of Mineral Engineering Services LLP)			
Nature of sample		: Surface water			
Sample Location		: SW4 - Hari Shankar Spring Water, SW5 - Narihalla Dam water			
Issue Date		: 02.04.2026			
Ref : IS : 2296, Water Quality Standards					
Date of sample collection		10.03.2026	10.03.2026	Limits	Method of Testing
Date of sample receipt		11.03.2026	11.03.2026		
Report No		M001726032	M001826032		
Sl.No.	Sample Code	SW4	SW5	Results	
	Parameters				
1	pH	6.25	8.45	6.5 to 8.5	IS:3025(Part-11)2022
2	Colour (Hazen Units)	1.0	10.0	300	IS 3025 (Part 11) 2022
3	Odour	Agreeable	Agreeable	-	IS:3025 (P-5) 2018
4	Total Dissolved Solids (mg/l)	60.0	500.0	1500	IS 3025 (Part 16) 2023
5	Total Suspended Solids, mg/l	10.7	70	-	IS 3025 (Part 17) 2023
6	Dissolved Oxygen (as O ₂), mg/l	5.80	5.00	Min 4	IS:3025(Part-38)1989RA 2019
7	Biochemical Oxygen Demand (as O ₂), mg/l	<3.0	<3.0	3	IS 3025 (Part 44) 2023
8	Total Hardness (as CaCO ₃),mg/l	28.0	300	-	IS:3025 (P-21):2009 RA 2023
9	Sulphates as SO ₄ (mg/l)	10.7	70.0	400	APHA (24th Edition):4110B
10	Phosphates (as P), mg/l	<0.05	<0.05	-	IS 3025 (P-31) Sec 1 2022 1976
11	Chloride (as Cl),mg/l	20.0	140	600	IS:3025(Part-32) 1988RA2019
12	Fluoride (as F),mg/l	0.20	0.60	1.5	IS 3025 (Part 60-Sec1) 2023
13	Sulphide (as H ₂ S) , mg/l	<0.01	<0.01	-	IS:3025 (P-29) 2022
14	Boron (as B), mg/l	<0.1	<0.1	-	IS:3025 (Part-57) 2021
15	Iron (as Fe),mg/l	<0.005	<0.005	50	IS 3025 (Part 65) 2022
16	Percent of Sodium (%)	21.2	23.5	-	IS 2488 part 5
17	Residual Sodium Carbonate (meq/l)	<0.5	<0.5	-	IS 11624 .2009
18	Total Coliform, MPN/100ml	48	60	5000	IS 15185 2016 RA 2021

"END OF REPORT"


BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory


ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028


TEST REPORT


Table No. 21

Name of the Client	: The Sandur Manganese & Iron Ores Limited
Name of the Project	: Mining Lease No. 2678
Location	: Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.
Sample Collected by	: Environmental Laboratory (Unit of Mineral Engineering Services LLP)
Nature of sample	: Ground water
Sample Location	: GW1 - Deogiri Mine Office Bore water, GW2 - Borewell near Kumarswamy temple, GW3 - Appayyanahalli (Narayanpura) Bore water
Date of sample collection	: 10.03.2026
Date of sample receipt	: 11.03.2026
Issue Date	: 02.04.2026
Ref	: IS:10500-2012 Norms Amendment - 4 (Drinking Water Standards)

Sl. No.	Report No	M001926032	M002026032	M002126032	Desirable Limits	Permissible Limits	Method of Testing
		GW1	GW2	GW3			
Parameters		Results					
1	Colour (Hazen Units)	1	1	1	5	15	IS:3025 (P-4) 2021
2	Odour	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	IS:3025 (P-5) 2018
3	pH Value	7.54	6.62	7.16	6.5 to 8.5	6.5 - 8.5	IS:3025 (P-11)2022
4	Taste	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	IS:3025 (P- 8) 2023
5	Turbidity,NTU	<0.1	1.90	2.00	1	5	IS:3025 (P-10) 2023
6	Total Dissolved Solids,mg/l	86.0	178.0	784.0	500	2000	IS:3025 (P-16) 2023
7	Aluminium (as Al)	<0.005	<0.005	<0.005	0.03	0.2	IS:3025 (P-55) 2022
8	Ammonia (as total Ammonia -N),mg/l	<0.1	<0.1	<0.1	0.5	0.5	IS:3025 (P-34)1 Sec 1 2023
9	Anionic Detergents (as MBAS),mg/l	<0.1	<0.1	<0.1	0.2	1.0	IS:3025 (P-68) 2023
10	Barium (as Ba), mg/l	<0.005	<0.005	<0.005	0.7	0.7	IS:3025(P-65) 2022
11	Boron (as B), mg/l	<0.1	<0.1	<0.1	0.5	2.4	IS:3025 (Part-57) 2021
12	Calcium (as Ca),mg/l	11.20	24.00	124.20	75	200	IS:3025 (P-40) 2021
13	Chloramines as C12	<0.1	<0.1	<0.1	4	4	Clause 6 of IS 3025 (P-26) 2021
14	Chloride as Cl (mg/l)	24.00	36.00	100.00	250	1000	IS:3025 (P-32)1988 RA 2019
15	Copper (as Cu),mg/l	<0.0005	<0.0005	<0.0005	0.05	1.5	IS:3025 (P-65) 2022
16	Fluoride (as F),mg/l	0.38	0.45	0.96	1	1.5	IS:3025 (P-60) Sec 2022
17	Residual, Free Chlorine,mg/l	<0.1	<0.1	<0.1	0.2	1	IS:3025 (P-26) 2021
18	Iron (as Fe),mg/l	<0.005	<0.005	<0.005	1.0	1.0	IS:3025 (Part-65) 2022
19	Magnesium (as Mg)mg/l	3.90	16.00	50.30	30	100	IS:3025 (P-46)1 2023
20	Manganese (as Mn),mg/l	<0.001	<0.001	<0.001	0.1	0.3	IS:3025 (P-65) 2022
21	Mineral Oil,mg/l	<0.5	<0.5	<0.5	1.0	1.0	IS:3025 (P-39) 2021
22	Nitrates (as NO ₃),mg/l	5.00	9.20	44.50	45	45	IS:3025 (P-34) 1988 RA 2019
23	Phenolics (as C ₆ H ₅ OH),mg/l	<0.001	<0.001	<0.001	0.001	0.002	IS:3025 (P-43) Sec 1 2023
24	Selenium (as Se),mg/l	<0.0005	<0.0005	<0.0005	0.01	0.01	IS:3025(P-65) 2022
25	Silver (as Ag), mg/l	<0.005	<0.005	<0.005	0.1	0.1	IS:3025(P-65) 2022
26	Sulphate (as SO ₄),mg/l	12.00	20.00	105.00	200	400	IS:3025 (P-24) Sec 1 2022
27	Sulphide (as H ₂ S) , mg/l	<0.01	<0.01	<0.01	0.05	0.05	IS:3025 (P-29) 2022
28	Total Alkalinity (as CaCO ₃) mg/l	34.0	112.0	480.0	200	600	IS:3025 (P-23):2023
29	Total Hardness (as CaCO ₃),mg/l	44.0	126.0	550.0	200	600	IS:3025 (P-21):2009 RA 2023
30	Zinc (as Zn),mg/l	<0.005	<0.005	<0.005	5	15	IS:3025 (P-65) 2022
31	Cadmium (as Cd),mg/l	<0.0005	<0.0005	<0.0005	0.003	0.003	IS:3025 (P-65) 2022
32	Cyanide (as CN),mg/l	<0.01	<0.01	<0.01	0.05	0.05	IS:3025 (P-27)Sec 1 2021
33	Lead (as Pb),mg/l	<0.0005	<0.0005	<0.0005	0.01	0.01	IS:3025 (P-65) 2022
34	Mercury (as Hg),mg/l	<0.0005	<0.0005	<0.0005	0.001	0.001	IS:3025 (P-65) 2022
35	Molybdenum (as Mo), mg/l	<0.0005	<0.0005	<0.0005	0.07	0.07	IS:3025 (P-65) 2022
36	Nickel (as Ni),mg/l	<0.01	<0.01	<0.01	0.02	0.02	IS:3025 (P-65) 2022
37	Arsenic (as As),mg/l	<0.0005	<0.0005	<0.0005	0.01	0.01	IS:3025 (P-65) 2022
38	Total Chromium (as Cr),mg/l	<0.001	<0.001	<0.001	0.05	0.05	IS:3025 (P-65) 2022
39	Escherichia coli/100ml	Not Detected	Not Detected	Not Detected	Shall not be detectable in any 100ml Sample		IS:15185:2016 RA 2021
40	Total Coliform /100ml	Not Detected	Not Detected	Not Detected			IS:15185:2016 RA 2021
41	Electrical Conductivity (µmhos/cm)	160.0	330.0	1400.0	-	-	IS 3025 (P-14) 2013 RA 2023

"END OF REPORT"


BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory


ARSHIYA KUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028


TEST REPORT

Table No. 22

Report No		M002226032	M002326032	Desirable Limits	Permissible Limits	Method of Testing
Sl. No.	Sample Code	GW4	GW5			
Parameters		Results				
1	Colour (Hazen Units)	1	1	5	15	IS:3025 (P-4) 2021
2	Odour	Agreeable	Agreeable	Agreeable	Agreeable	IS:3025 (P-5) 2018
3	pH Value	7.84	6.68	6.5 to 8.5	6.5 - 8.5	IS:3025 (P-11)2022
4	Taste	Agreeable	Agreeable	Agreeable	Agreeable	IS:3025 (P- 8) 2023
5	Turbidity,NTU	1.50	1.30	1	5	IS:3025 (P-10) 2023
6	Total Dissolved Solids,mg/l	190.0	1190.0	500	2000	IS:3025 (P-16) 2023
7	Aluminium (as Al)	<0.005	<0.005	0.03	0.2	IS:3025 (P-55) 2022
8	Ammonia (as total Ammonia -N),mg/l	<0.1	<0.1	0.5	0.5	IS:3025 (P-34)1 Sec 1 2023
9	Anionic Detergents (as MBAS),mg/l	<0.1	<0.1	0.2	1.0	IS:3025 (P-68) 2023
10	Barium (as Ba), mg/l	<0.005	<0.005	0.7	0.7	IS:3025(P-65) 2022
11	Boron (as B), mg/l	<0.1	<0.1	0.5	2.4	IS:3025 (Part-57) 2021
12	Calcium (as Ca),mg/l	22.40	16.03	75	200	IS:3025 (P-40) 2021
13	Chloramines as C12	<0.1	<0.1	4	4	Clause 6 of IS 3025 (P-26) 2021
14	Chloride as Cl (mg/l)	37.00	330.00	250	1000	IS:3025 (P-32)1988 RA 2019
15	Copper (as Cu),mg/l	<0.0005	<0.0005	0.05	1.5	IS:3025 (P-65) 2022
16	Fluoride (as F),mg/l	0.60	0.88	1	1.5	IS:3025 (P-60) Sec 2022
17	Residual, Free Chlorine,mg/l	<0.1	<0.1	0.2	1	IS:3025 (P-26) 2021
18	Iron (as Fe),mg/l	<0.005	<0.005	1.0	1.0	IS:3025 (Part-65) 2022
19	Magnesium (as Mg)mg/l	10.20	92.30	30	100	IS:3025 (P-46)1 2023
20	Manganese (as Mn),mg/l	<0.001	<0.001	0.1	0.3	IS:3025 (P-65) 2022
21	Mineral Oil,mg/l	<0.5	<0.5	1.0	1.0	IS:3025 (P-39) 2021
22	Nitrates (as NO ₃),mg/l	12.80	39.60	45	45	IS:3025 (P-34) 1988 RA 2019
23	Phenolics (as C ₆ H ₅ OH),mg/l	<0.001	<0.001	0.001	0.002	IS:3025 (P-43) Sec 1 2023
24	Selenium (as Se),mg/l	<0.0005	<0.0005	0.01	0.01	IS:3025(P-65) 2022
25	Silver (as Ag), mg/l	<0.005	<0.005	0.1	0.1	IS:3025(P-65) 2022
26	Sulphate (as SO ₄),mg/l	21.00	70.00	200	400	IS:3025 (P-24) Sec 1 2022
27	Sulphide (as H ₂ S) , mg/l	<0.01	<0.01	0.05	0.05	IS:3025 (P-29) 2022
28	Total Alkalinity (as CaCO ₃) mg/l	120.0	600.0	200	600	IS:3025 (P-23):2023
29	Total Hardness (as CaCO ₃),mg/l	98.0	780.0	200	600	IS:3025 (P-21):2009 RA 2023
30	Zinc (as Zn),mg/l	<0.005	<0.005	5	15	IS:3025 (P-65) 2022
31	Cadmium (as Cd),mg/l	<0.0005	<0.0005	0.003	0.003	IS:3025 (P-65) 2022
32	Cyanide (as CN),mg/l	<0.01	<0.01	0.05	0.05	IS:3025 (P-27)Sec 1 2021
33	Lead (as Pb),mg/l	<0.0005	<0.0005	0.01	0.01	IS:3025 (P-65) 2022
34	Mercury (as Hg),mg/l	<0.0005	<0.0005	0.001	0.001	IS:3025 (P-65) 2022
35	Molybdenum (as Mo), mg/l	<0.0005	<0.0005	0.07	0.07	IS:3025 (P-65) 2022
36	Nickel (as Ni),mg/l	<0.01	<0.01	0.02	0.02	IS:3025 (P-65) 2022
37	Arsenic (as As),mg/l	<0.0005	<0.0005	0.01	0.01	IS:3025 (P-65) 2022
38	Total Chromium (as Cr),mg/l	<0.001	<0.001	0.05	0.05	IS:3025 (P-65) 2022
39	Escherichia coli/100ml	Not Detected	Not Detected	Shall not be detectable in any 100ml Sample		IS:15185:2016 RA 2021
40	Total Coliform /100ml)	Not Detected	Not Detected			IS:15185:2016 RA 2021
41	Electrical Conductivity (µmhos/cm)	350.0	2100.0	-	-	IS 3025 (P-14) 2013 RA 2023

"END OF REPORT"


BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory


ARSHIYAA KOF SAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No. 23

Name of the Client		: The Sandur Manganese & Iron Ores Limited				
Name of the Project		: Mining Lease No. 2678				
Location		: Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.				
Sample Collected by		: Environmental Laboratory (Unit of Mineral Engineering Services LLP)				
Nature of sample		: Drinking water				
Sample Location		: DW1 - Drinking Water Deogiri Near Office				
		: DW2 - Drinking Water Subbarayanahalli Near Office				
Issue Date		: 02.04.2026				
Ref : IS:10500-2012 Norms Amendment - 4 (Drinking Water Standards)						
Date of sample collection		10.03.2026	10.03.2026	Desirable Limts	Permissible Limts	Method of Testing
Date of sample receipt		11.03.2026	11.03.2026			
Report No		M002426032	M002526032			
Sl. No.	Sample Code	DW1	DW2	Results		
	Parameters					
1	Colour (Hazen Units)	<1	<1	5	15	IS:3025 (P-4) 2021
2	Odour	Agreeable	Agreeable	Agreeable	Agreeable	IS:3025 (P-5) 2018
3	pH Value	7.12	7.33	6.5 to 8.5	6.5 - 8.5	IS:3025 (P-11)2022
4	Taste	Agreeable	Agreeable	Agreeable	Agreeable	IS:3025 (P- 8) 2023
5	Turbidity,NTU	<0.1	<0.1	1	5	IS:3025 (P-10) 2023
6	Total Dissolved Solids,mg/l	100.0	212.0	500	2000	IS:3025 (P-16) 2023
7	Calcium (as Ca),mg/l	8.81	32.00	75	200	IS:3025 (P-40) 2021
8	Chloride as Cl (mg/l)	30.00	40.00	250	1000	IS:3025 (P-32)1988 RA 2019
9	Fluoride (as F),mg/l	<0.1	<0.1	1	1.5	IS:3025 (P-60) Sec1 2022
10	Iron (as Fe),mg/l	<0.005	<0.005	1.0	1.0	IS:3025 (Part-2) 2022
11	Magnesium (as Mg)mg/l	3.40	15.50	30	100	IS:3025 (P-46) 2023
12	Nitrates (as NO ₃),mg/l	4.00	9.00	45	45	IS:3025 (P-34) Sec 1 2023
13	Sulphate (as SO ₄),mg/l	7.80	30.00	200	400	IS:3025 (P-24) Sec 1 2022
14	Total Alkalinity (as CaCO ₃) mg/l	30.0	102.00	200	600	IS:3025 (P-23):2023
15	Total Hardness (as CaCO ₃),mg/l	36.0	144.0	200	600	IS:3025 (P-21):2009 RA 2019
16	Electrical Conductivity (µmhos/cm)	191.0	392.0	--	--	IS 3025 (P-14) : 2013RA 2023
17	Escherichia coli/100ml	Not Detected	Not Detected	Shall not be detectable in any 100ml Sample		IS:15185:2016 RA 2021
18	Total Coliform /100ml)	Not Detected	Not Detected			IS:15185:2016 RA 2021

"END OF REPORT"


BINU MANI
 TM - Microbiology
 Govt Analyst/Authorised Signatory


ARSHIYA KOUSAR
 Dy TM - Chemical
 Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No. 24

Name of the Client		: The Sandur Manganese & Iron Ores Limited				
Name of the Project		: Mining Lease No. 2678				
Location		: Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.				
Sample Collected by		: Environmental Laboratory (Unit of Mineral Engineering Services LLP)				
Nature of sample		: Drinking water				
Sample Location		: W1 - GSIWTP 150 KLD In let water Deogiri : W2 - GSIWTP 150 KLD Out let water Deogiri				
Issue Date		: 02.04.2026				
Ref : IS:10500-2012 Norms Amendment - 4 (Drinking Water Standards)						
Date of sample collection		26.03.2026	26.03.2026	Desirable Limits	Permissible Limits	Method of Testing
Date of sample receipt		27.03.2026	27.03.2026			
Report No		M001126034	M001226034	Desirable Limits	Permissible Limits	Method of Testing
Sl. No.	Sample Code	DW1	DW2			
	Parameters	Results				
1	Colour (Hazen Units)	1	1	5	15	IS:3025 (P-4) 2021
2	Odour	Agreeable	Agreeable	Agreeable	Agreeable	IS:3025 (P-5) 2018
3	pH Value	6.65	8.12	6.5 to 8.5	6.5 - 8.5	IS:3025 (P-11)2022
4	Taste	Agreeable	Agreeable	Agreeable	Agreeable	IS:3025 (P- 8) 2023
5	Turbidity,NTU	2.6	1.5	1	5	IS:3025 (P-10) 2023
6	Total Dissolved Solids,mg/l	60.0	146.0	500	2000	IS:3025 (P-16) 2023
7	Calcium (as Ca),mg/l	6.41	24.00	75	200	IS:3025 (P-40) 2021
8	Chloride as Cl (mg/l)	16.00	24.00	250	1000	IS:3025 (P-32)1988 RA 2019
9	Fluoride (as F),mg/l	<0.1	<0.1	1	1.5	IS:3025 (P-60) Sec1 2022
10	Iron (as Fe),mg/l	<0.005	<0.005	1.0	1.0	IS:3025 (Part-2) 2022
11	Magnesium (as Mg)mg/l	1.94	12.60	30	100	IS:3025 (P-46) 2023
12	Nitrates (as NO ₃),mg/l	8.50	11.20	45	45	IS:3025 (P-34) Sec 1 2023
13	Sulphate (as SO ₄),mg/l	16.00	18.00	200	400	IS:3025 (P-24) Sec 1 2022
14	Total Alkalinity (as CaCO ₃) mg/l	12.0	110.00	200	600	IS:3025 (P-23):2023
15	Total Hardness (as CaCO ₃),mg/l	24.0	112.0	200	600	IS:3025 (P-21):2009 RA 2019
16	Electrical Conductivity (µmhos/cm)	110.0	270.0	200	--	IS 3025 (P-14) : 2013RA 2023
17	Escherichia coli/100ml	Not Detected	Not Detected	Shall not be detectable in any 100ml Sample		IS:15185:2016 RA 2021
18	Total Coliform /100ml)	Not Detected	Not Detected			IS:15185:2016 RA 2021

"END OF REPORT"


BINU MANI
 TM - Microbiology
 Govt Analyst/Authorised Signatory


ARSHIYA KOUSAR
 Dy TM - Chemical
 Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No. 25

Name of the Client		: The Sandur Manganese & Iron Ores Limited					
Name of the Project		: Mining Lease No. 2678					
Location		: Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.					
Sample Collected by		: Environmental Laboratory (Unit of Mineral Engineering Services LLP)					
Nature of Samples		: Soil Samples					
Date of sample collection		: 09.03.2026					
Date of sample receipt		: 10.03.2026					
Issue Date		: 02.04.2026					
Report No		M000426032	M000526032	M000626032	M000726032	M000826032	
SL. No.	Sample Code	S1	S2	S3	S4	S5	
	Parameters	Unit		Results			
Physical Properties							
1	Colour	–	Red Soil	Red Soil	Red Soil	Red Soil	Red Soil
2	Textural class	–	Clay Loam	Sandy Loam	Clay Loam	Clay Loam	Clay Loam
3	Size Distribution						
	Sand	%	31.22	34.33	32.11	32.22	33.56
	Clay	%	24.55	29.21	28.66	30.21	27.45
	Silt	%	44.23	36.46	39.23	37.57	38.99
4	Moisture Content	%	7.85	7.22	8.26	7.36	7.24
5	Bulk Density	gm/cc	1.77	1.81	1.75	1.32	1.86
6	Water holding capacity	%	26.85	31.52	24.32	28.22	24.33
7	pH	–	6.92	7.32	7.21	7.22	6.99
8	EC	m.mohs/cm	0.188	0.262	0.362	0.285	0.258
Chemical Properties							
9	Organic Carbon	%	0.66	0.73	0.59	0.66	0.59
10	Nitrogen as N	Kg/Ha	345	296	325	328	365
11	Phosphorous as P	Kg/Ha	10.22	11.24	10.24	9.25	10.11
12	Potassium as K ₂ O	Kg/Ha	113	118	110	80	96
13	Sodium as Na	mg/kg	22	24	26	32	20
14	Chloride as Cl	mg/kg	112	120	118	126	118
15	Sulphate as SO ₄	mg/kg	30	32	32	30	28
Sample Location							
S1 - Top soil (Kammathuru)							
S2 - Top soil (Deogiri)							
S3 - Top soil (SB Halli)							
S4 - Active Dump (Deogiri)							
S5 - Active Dump (SB Halli)							

Arshiya Kousar
ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No. 26

Name of the Client		: The Sandur Manganese & Iron Ores Limited					
Name of the Project		: Mining Lease No. 2678					
Location		: Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.					
Sample Collected by		: Environmental Laboratory (Unit of Mineral Engineering Services LLP)					
Nature of Samples		: Soil Samples					
Date of sample collection		: 09.03.2026					
Date of sample receipt		: 10.03.2026					
Issue Date		: 02.04.2026					
Report No		M000926032	M001026032	M001126032	M001226032	M001326032	
SL. No.	Sample Code	S6	S7	S8	S9	S10	
	PARAMETERS	Unit		Results			
Physical Properties							
1	Colour	–	Red Soil	Red Soil	Red Soil	Red Soil	Red soil
2	Textural class	–	Clay Loam	Clay Loam	Silty Clay	Silty Clay	Clay Loam
3	Size Distribution						
	Sand	%	31.72	32.24	32.86	33.21	35.3
	Clay	%	29.25	28.96	29.33	27.33	31.22
	Silt	%	39.03	38.80	37.81	39.46	33.48
4	Moisture Content	%	7.52	8.11	7.24	6.99	7.36
5	Bulk Density	gm/cc	1.68	1.92	1.72	1.68	1.21
6	Water holding capacity	%	30.85	28.56	26.81	28.66	35.88
7	pH	–	7.48	7.36	6.96	7.22	7.63
8	EC	m.mohs/cm	0.362	0.258	0.399	0.352	0.283
Chemical Properties							
9	Organic Carbon	%	0.59	0.58	0.71	0.57	0.63
10	Nitrogen as N	Kg/Ha	296	338	362	310	340
11	Phosphorous as P	Kg/Ha	10.35	10.44	11.25	9.72	10.68
12	Potassium as K ₂ O	Kg/Ha	118	121	119	110	108
13	Sodium as Na	mg/kg	35	26	29	30	27
14	Chloride as Cl	mg/kg	29	31	33	20	22
15	Sulphate as SO ₄	mg/kg	32	36	30	29	30
Sample Location							
S6 - Appayyanahalli agriculture lan							
S7 - Vitthalanagar agriculture land							
S8 - Swamihalli agriculture land							
S9 - Tonasigere agriculture land							
S10 - Yeshwanthnagar agriculture land							

Arshiya K DUSAR
ARSHIYA K DUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)


Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No. 27

Stack Monitoring Report

Name of the Client	: The Sandur Manganese & Iron Ores Limited			
Name of the Project	: Subrayanahalli Manganese & Iron Ore Mine (ML NO. 2678)			
Sample Collected by	: Environmental Laboratory (Unit of Mineral Engineering Services LLP)			
Sample Location	: KVH Iron Ore Mines			
Stack ID & Capacity	: DG 1010 KVA (808 KW)			
instrument used for sampling	: Emissions collected through stack sampler			
Date of Collection	: 07.03.2026			
Date of Sample Receipt	: 09.03.2026			
Report No	: N000126032			
Issue date	: 02.04.2026			
STACK DETAILS				
1	Fuel Used	Diesel		
2	Ambient Temperature (°C)	30		
3	Stack Temperature (°C)	200		
4	Velocity (m/s)	13.78		
5	Stack diameter (M)	0.30		
6	Quantity of flue Gas Discharged into atmosphere (Nm ³ /hr)	3133		
7	Sample Condition When Received	Satisfactory		
8	Model of the Equipment used for Monitoring	Vayubodhan Stack Sampler VSS1		
9	Serial No. of the Equipment	338 DTH 14		
10	Calibration due date	17.07.2026		
11	Test Method	IS 11255 & flue gas analyser		
Pollutional Parameters (Result)				
Sl.No	Parameters	Unit	Results	Standard
1	NO _x (as NO ₂) (as 15% O ₂), dry basis	ppmv	29.21	360
2	NMHC (as C) (at 15 % O ₂)	mg/Nm ³	55.00	100
3	PM (as C) (at 15 % O ₂)	mg/Nm ³	63.00	75
4	CO (at 15 % O ₂)	(mg/Nm ³)	68.00	150


ARSHIYA KOUSAR
 Dy TM - Chemical
 Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No. 28

Stack Monitoring Report

Name of the Client	: The Sandur Manganese & Iron Ores Limited
Name of the Project	: Subrayanahalli Manganese & Iron Ore Mine (ML NO. 2678)
Sample Collected by	: Environmental Laboratory (Unit of Mineral Engineering Services LLP)
Sample Location	: KVH IO MINES - SB HALLI
Stack ID & Capacity	: 10 KVA TOWER LIGHT DG - Lighting
Instrument used for sampling	: Emissions collected through stack sampler
Date of Collection	: 07.03.2026
Date of Sample Receipt	: 09.03.2026
Report No	: N000226032
Issue date	: 02.04.2026

STACK DETAILS

1	Fuel Used	Diesel
2	Ambient Temperature (°C)	32
3	Stack Temperature (°C)	148
4	Velocity (m/s)	8.14
5	Stack diameter (M)	0.15
6	Quantity of flue Gas Discharged into atmosphere (Nm ³ /hr)	354
7	Sample Condition When Received	Satisfactory
8	Model of the Equipment used for Monitoring	Vayubodhan Stack Sampler VSS1
9	Serial No. of the Equipment	338 DTH 14
10	Calibration due date	17.07.2026
11	Test Method	IS 11255 & flue gas analyser

Pollutional Parameters (Result)

Sl.No	Parameters	Unit	Results	Standard
1	Particulate Matter	g/Kw-hr	0.113	<0.2
2	CO	g/Kw-hr	0.221	<3.5
3	Nox +HC	g/Kw-hr	1.680	<4.0

INFERENCE	as per KSPCB Report Status - The measured values for the above parameters for those standards have been specified were observed to be within the said standards
-----------	--

Arshiya K DUSAR
ARSHIYA K DUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028


TEST REPORT

Table No. 29

Stack Monitoring Report

Name of the Client	: The Sandur Manganese & Iron Ores Limited			
Name of the Project	: Subrayanahalli Manganese & Iron Ore Mine (ML NO. 2678)			
Sample Location	: KVH IO MINES - SB HALLI			
Stack ID & Capacity	: 10KVA DG Sert - Water pumping			
Sample Collected by	: Environmental Laboratory (Unit of Mineral Engineering Services LLP)			
Instrument used for sampling	: Emissions collected through stack sampler			
Date of Collection	: 07.03.2026			
Date of Sample Receipt	: 09.03.2026			
Report No	: N000326032			
Issue date	: 02.04.2026			
STACK DETAILS				
1	Fuel Used	Diesel		
2	Ambient Temperature (°C)	33		
3	Stack Temperature (°C)	152		
4	Velocity (m/s)	7.55		
5	Stack diameter (M)	0.15		
6	Quantity of flue Gas Discharged into atmosphere (Nm ³ /hr)	325		
7	Sample Condition When Received	Satisfactory		
8	Model of the Equipment used for Monitoring	Vayubodhan Stack Sampler VSS1		
9	Serial No. of the Equipment	86 BTF 12		
10	Calibration due date	17.07.2026		
11	Test Method	IS 11255 & flue gas analyser		
Pollutional Parameters (Result)				
Sl.No	Parameters	Unit	Results	Standard
1	Particulate Matter	g/Kw-hr	0.107	<0.2
2	CO	g/Kw-hr	0.486	<3.5
3	Nox +HC	g/Kw-hr	1.240	<4.0

INFERENCE	as per KSPCB Report Status - The measured values for the above parameters for those standards have been specified were observed to be within the said standards
-----------	--


ARSHIYA KOUSAR
 Dy TM - Chemical
 Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No. 30

Stack Monitoring Report

Name of the Client	: The Sandur Manganese & Iron Ores Limited
Name of the Project	: Kammathuru Iron Ore (KTIO) (ML No. 2678)
Sample Collected by	: Environmental Laboratory (Unit of Mineral Engineering Services LLP)
Sample Location	: KTIO D-04 DUMP
Stack ID & Capacity	: 7.5 KVA DG SET (Open DG) - Lighting
Instrument used for sampling	: Emissions collected through stack sampler
Date of Collection	: 09.03.2026
Date of Sample Receipt	: 10.03.2026
Report No	: N000426032
Issue date	: 02.04.2026

STACK DETAILS

1	Fuel Used	Diesel
2	Ambient Temperature (°C)	34
3	Stack Temperature (°C)	150
4	Velocity (m/s)	6.53
5	Stack diameter (M)	0.15
6	Quantity of flue Gas Discharged into atmosphere (Nm ³ /hr)	283
7	Sample Condition When Received	Satisfactory
8	Model of the Equipment used for Monitoring	Vayubodhan Stack Sampler VSS1
9	Serial No. of the Equipment	86 BTF 12
10	Calibration due date	17.07.2026
11	Test Method	IS 11255 & flue gas analyser

Pollutional Parameters (Result)

Sl.No	Parameters	Unit	Results	Standard
1	Particulate Matter	g/Kw-hr	0.075	<0.2
2	CO	g/Kw-hr	0.414	<3.5
3	Nox +HC	g/Kw-hr	0.988	<4.0

INFERENCE	as per KSPCB
	Report Status - The measured values for the above parameters for those standards have been specified were observed to be within the said standards

Arshiya Kousar
ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028


TEST REPORT

Table No.31

Stack Monitoring Report

Name of the Client	: The Sandur Manganese & Iron Ores Limited			
Name of the Project	: Deogiri Manganese & Iron Ore Mine (ML NO. 2678)			
Sample Collected by	: Environmental Laboratory (Unit of Mineral Engineering Services LLP)			
Sample Location	: BMM Plot			
Stack ID & Capacity	: 35 KVA DG SET - Lighting			
Instrument used for sampling	: Emissions collected through stack sampler			
Date of Collection	: 09.03.2026			
Date of Sample Receipt	: 10.03.2026			
Report No	: N000526032			
Issue date	: 02.04.2026			
STACK DETAILS				
1	Fuel Used	Diesel		
2	Ambient Temperature (°C)	33		
3	Stack Temperature (°C)	138		
4	Velocity (m/s)	9.06		
5	Stack diameter (M)	0.15		
6	Quantity of flue Gas Discharged into atmosphere (Nm ³ /hr)	404		
7	Sample Condition When Received	Satisfactory		
8	Model of the Equipment used for Monitoring	Vayubodhan Stack Sampler VSS1		
9	Serial No. of the Equipment	338 DTH 14		
10	Calibration due date	17.07.2026		
11	Test Method	IS 11255 & flue gas analyser		
Pollutional Parameters (Result)				
Sl.No	Parameters	Unit	Results	Standard
1	Particulate Matter	g/Kw-hr	0.055	<0.2
2	CO	g/Kw-hr	0.069	<3.5
3	Nox +HC	g/Kw-hr	0.299	<4.0

INFERENCE	<p>as per KSPCB</p> <p>Report Status - The measured values for the above parameters for those standards have been specified were observed to be within the said standards</p>
-----------	--


ARSHIYA KOUSAR
 Dy TM - Chemical
 Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No. 32

Stack Monitoring Report

Name of the Client	: The Sandur Manganese & Iron Ores Limited
Name of the Project	: Deogiri Manganese & Iron Ore Mine (ML NO. 2678)
Sample Collected by	: Environmental Laboratory (Unit of Mineral Engineering Services LLP)
Sample Location	: K-Kolla W/Pump
Stack ID & Capacity	: 100 KVA DG SET - Water pumping
Instrument used for sampling	: Emissions collected through stack sampler
Date of Collection	: 09.03.2026
Date of Sample Receipt	: 10.03.2026
Report No	: N000626032
Issue date	: 02.04.2026

STACK DETAILS

1	Fuel Used	Diesel
2	Ambient Temperature (°C)	32
3	Stack Temperature (°C)	156
4	Velocity (m/s)	8.72
5	Stack diameter (M)	0.15
6	Quantity of flue Gas Discharged into atmosphere (Nm ³ /hr)	372
7	Sample Condition When Received	Satisfactory
8	Model of the Equipment used for Monitoring	Vayubodhan Stack Sampler VSS1
9	Serial No. of the Equipment	338 DTH 14
10	Calibration due date	17.07.2026
11	Test Method	IS 11255 & flue gas analyser

Pollutional Parameters (Result)

Sl.No	Parameters	Unit	Results	Standard
1	Particulate Matter	g/Kw-hr	0.071	<0.2
2	CO	g/Kw-hr	0.290	<3.5
3	Nox +HC	g/Kw-hr	0.402	<4.0

INFERENCE	as per KSPCB Report Status - The measured values for the above parameters for those standards have been specified were observed to be within the said standards
-----------	--

Arshiya K DUSAR
ARSHIYA K DUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No. 33

Stack Monitoring Report

Name of the Client	: The Sandur Manganese & Iron Ores Limited
Name of the Project	: Deogiri Manganese & Iron Ore Mine (ML NO. 2678)
Sample Collected by	: Environmental Laboratory (Unit of Mineral Engineering Services LLP)
Sample Location	: Deogiri- Work Shop
Stack ID & Capacity	: 250 KVA DG SET - Lighting
Instrument used for sampling	: Emissions collected through stack sampler
Date of Collection	: 10.03.2026
Date of Sample Receipt	: 11.03.2026
Report No	: N000726032
Issue date	: 02.04.2026

STACK DETAILS

1	Fuel Used	Diesel
2	Ambient Temperature ($^{\circ}$ C)	32
3	Stack Temperature ($^{\circ}$ C)	186
4	Velocity (m/s)	10.23
5	Stack diameter (M)	0.15
6	Quantity of flue Gas Discharged into atmosphere (Nm ³ /hr)	408
7	Sample Condition When Received	Satisfactory
8	Model of the Equipment used for Monitoring	Vayubodhan Stack Sampler VSS1
9	Serial No. of the Equipment	86 BTF 12
10	Calibration due date	17.07.2026
11	Test Method	IS 11255 & flue gas analyser

Pollutional Parameters (Result)

Sl.No	Parameters	Unit	Results	Standard
1	Particulate Matter	g/Kw-hr	0.038	<0.2
2	CO	g/Kw-hr	0.103	<3.5
3	Nox +HC	g/Kw-hr	0.623	<4.0

INFERENCE	as per KSPCB
	Report Status - The measured values for the above parameters for those standards have been specified were observed to be within the said standards

Arshiya Kousar
ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028


TEST REPORT

Table No. 34

Stack Monitoring Report

Name of the Client	: The Sandur Manganese & Iron Ores Limited			
Name of the Project	: Deogiri Manganese & Iron Ore Mine (ML NO. 2678)			
Sample Collected by	: Environmental Laboratory (Unit of Mineral Engineering Services LLP)			
Sample Location	: Deogiri 86 Quarters			
Stack ID & Capacity	: 35 KVA DG SET - Colony Ligting			
instrument used for sampling	: Emissions collected through stack sampler			
Date of Collection	: 10.03.2026			
Date of Sample Receipt	: 11.03.2026			
Report No	: N000826032			
Issue date	: 02.04.2026			
STACK DETAILS				
1	Fuel Used	Diesel		
2	Ambient Temperature (°C)	33		
3	Stack Temperature (°C)	140		
4	Velocity (m/s)	8.72		
5	Stack diameter (M)	0.15		
6	Quantity of flue Gas Discharged into atmosphere (Nm ³ /hr)	387		
7	Sample Condition When Received	Satisfactory		
8	Model of the Equipment used for Monitoring	Vayubodhan Stack Sampler VSS1		
9	Serial No. of the Equipment	86 BTF 12		
10	Calibration due date	17.07.2026		
11	Test Method	IS 11255 & flue gas analyser		
Pollutional Parameters (Result)				
Sl.No	Parameters	Unit	Results	Standard
1	Particulate Matter	g/Kw-hr	0.099	<0.2
2	CO	g/Kw-hr	0.133	<3.5
3	Nox +HC	g/Kw-hr	0.298	<4.0

INFERENCE	as per KSPCB Report Status - The measured values for the above parameters for those standards have been specified were observed to be within the said standards
-----------	---


ARSHIYA KOUSAR
 Dy TM - Chemical
 Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)


Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No. 35

Stack Monitoring Report

Name of the Client	: The Sandur Manganese & Iron Ores Limited			
Name of the Mine	: Kammathuru Iron Ore Mine (KTIO) (ML No. 2678)			
Sample Collected by	: Environmental Laboratory (Unit of Mineral Engineering Services LLP)			
Screening Plant Make & code	: Sandvik Screening & Crushing Plant (MCP- 2)			
Mobile Crusher Capacity	: 500 TPH			
Date of Collection	: 20.03.2026			
Date of Sample Receipt	: 21.03.2026			
Report No	: N000326033			
Issue date	: 02.04.2026			
STACK DETAILS				
1	Fuel Used	Diesel		
2	Stack diameter (M)	0.13		
3	Stack Temperature (°C)	63		
4	Velocity (m/s)	11.12		
5	Quantity of flue Gas Discharged into atmosphere (Nm ³ /hr)	438.00		
6	Sample Condition When Received	Satisfactory		
7	Model of the Equipment used for Monitoring	Vayubodhan Stack Sampler VSS1		
8	Serial No. of the Equipment	338 DTH 14		
9	Calibration due date	17.07.2026		
10	Test Method	IS 11255		
Pollutional Parameters (Result)				
Sl.No	Parameters	Unit	Results	Permissible limits
1	Particulate Matter	mg/Nm ³	73	100


ARSHIYA KOUSAR
 Dy TM - Chemical
 Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)


Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No. 36

Stack Monitoring Report

Name of the Client	: The Sandur Manganese & Iron Ores Limited			
Name of the Mine	: Kammathuru Iron Ore Mine (KTIO) (ML No. 2678)			
Sample Collected by	: Environmental Laboratory (Unit of Mineral Engineering Services LLP)			
Screening Plant Make & code	: Keestrak Crushing & Screening Plant (MCP- 3)			
Mobile Crusher Capacity	: 350 TPH			
Date of Collection	: 20.03.2026			
Date of Sample Receipt	: 21.03.2026			
Report No	: N000426033			
Issue date	: 02.04.2026			
STACK DETAILS				
1	Fuel Used	Diesel		
2	Stack diameter (M)	0.20		
3	Stack Temperature (^o C)	58		
4	Velocity (m/s)	10.38		
5	Quantity of flue Gas Discharged into atmosphere (Nm ³ /hr)	984.0		
6	Sample Condition When Received	Satisfactory		
7	Model of the Equipment used for Monitoring	Vayubodhan Stack Sampler VSS1		
8	Serial No. of the Equipment	338 DTH 14		
9	Calibration due date	17.07.2026		
10	Test Method	IS 11255		
Pollutional Parameters (Result)				
Sl.No	Parameters	Unit	Results	Permissible limits
1	Particulate Matter	mg/Nm ³	75	100


 ARSHIYA KOUSAR
 Dy TM - Chemical
 Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No. 37

Stack Monitoring Report

Name of the Client	:The Sandur Manganese & Iron Ores Limited			
Name of the Mine	: Subrayanahalli Manganese & Iron Ore Mine (ML NO. 2678)			
Sample Collected by	: Environmental Laboratory (Unit of Mineral Engineering Services LLP)			
Sample Location	: KVH			
Screening Plant Make & code	: Sandvik Screening & Crushing Plant (MCP - 1)			
Mobile Crusher Capacity	: 500 TPH			
Date of Collection	: 23.03.2026			
Date of Sample Receipt	: 21.03.2026			
Report No	: N000126034			
Issue date	: 02.04.2026			
STACK DETAILS				
1	Fuel Used	Diesel		
2	Stack diameter (M)	0.13		
3	Stack Temperature (°C)	65		
4	Velocity (m/s)	12.31		
5	Quantity of flue Gas Discharged into atmosphere (Nm ³ /hr)	482.00		
6	Sample Condition When Received	Satisfactory		
7	Model of the Equipment used for Monitoring	Vayubodhan Stack Sampler VSS1		
8	Serial No. of the Equipment	338 DTH 14		
9	Calibration due date	17.07.2026		
10	Test Method	IS 11255		
Pollutional Parameters (Result)				
SI.No	Parameters	Unit	Results	Permissible limits
1	Particulate Matter	mg/Nm ³	63	100

Arshiya Kousar
ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No. 38

Stack Monitoring Report

Name of the Client	: The Sandur Manganese & Iron Ores Limited
Name of the Mine	: ML NO. 2678
Location	: Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.
Sample Collected by	: Environmental Laboratory (Unit of Mineral Engineering Services LLP)
Screening Plant Make & code	: Terex Screening Plant (MSP - 2)
Mobile Crusher Capacity	: 350 TPH
Date of Collection	: 23.03.2026
Date of Sample Receipt	: 24.03.2026
Report No	: N000226034
Issue date	: 02.04.2026

STACK DETAILS

1	Fuel Used	Diesel
2	Stack diameter (M)	0.20
3	Stack Temperature (°C)	48
4	Velocity (m/s)	11.99
5	Quantity of flue Gas Discharged into atmosphere (Nm ³ /hr)	1171.0
6	Sample Condition When Received	Satisfactory
7	Model of the Equipment used for Monitoring	Vayubodhan Stack Sampler VSS1
8	Serial No. of the Equipment	86BTF12
9	Calibration due date	17.07.2026
10	Test Method	IS 11255

Pollutional Parameters (Result)

Sl.No	Parameters	Unit	Results	Permissible limits
1	Particulate Matter	mg/Nm ³	60	100

Arshiya Kousar
ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Table No.39

Stack Monitoring Report

Name of the Client	:The Sandur Manganese & Iron Ores Limited		
Name of the Mine	: ML NO. 2678		
Location	: Deogiri, Subbarayanahalli, Ramghad & Kammathuru Villages, Sandur Tq, Ballari Dt.		
Sample Collected by	: Environmental Laboratory (Unit of Mineral Engineering Services LLP)		
Date of Collection	: 24.03.2026		
Date of Sample Receipt	: 25.03.2026		
Issue date	: 02.04.2026		
STACK DETAILS			
Screening Plant Make & code	Keestrak Screening Plant (MSP-1)	Keestrak Screening Plant (MSP-3)	
Report No	N000326034	N000426034	
1 Fuel Used	Diesel	Diesel	
2 Capacity	600 TPH	350 TPH	
3 Stack diameter (M)	0.20	0.20	
4 Stack Temperature (°C)	58	66	
5 Velocity (m/s)	11.99	12.33	
6 Quantity of flue Gas Discharged into atmosphere (Nm ³ /hr)	1136.0	1140.0	
7 Sample Condition When Received	Satisfactory		
8 Model of the Equipment used for Monitoring	Vayubodhan Stack Sampler VSS1		
9 Serial No. of the Equipment	86BTF12		
10 Calibration due date	17.07.2026		
11 Test Method	IS 11255		
Pollutional Parameters (Result)			
Sl.No	Parameters	Unit	Results
1	Particulate Matter	mg/Nm ³	63 70
	Permissible limits	mg/Nm ³	100


 ARSHIYA KOUSAR
 Dy TM - Chemical
 Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in